



eLUKā

designer
floors
for living



LUXURY RIGID VINYL



LAMINATE



REAL WOOD ENGINEERED



SOLID WOOD



LUXURY RIGID VINYL

DISCOVER HOW
AN ELKA FLOOR
CAN TRANSFORM
YOUR HOME

Cover: Kentucky Oak Brown 6mm luxury rigid vinyl flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the luxury rigid vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

E&OE. All information contained in this literature is correct at the time of going to print. Unilin Flooring reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

FLOORING COLLECTIONS

PAGE 08-43

- LUXURY RIGID VINYL
- LAMINATE
- REAL WOOD ENGINEERED
- SOLID WOOD

ELKA EXTRAS

PAGES 44-51

- PREPARE
- FIX
- FINISH
- MAINTAIN

PRODUCT OVERVIEW

PAGES 52-55

- THE FULL RANGE
- OF FLOORING
- AND EXTRAS
- AT A GLANCE

WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?



real wood engineered flooring



13.5MM RUSTIC UV LACQUERED OAK

REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of permanence, adding beauty and elegance to your interior.

Each board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. They can be fitted using numerous techniques, including adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka underlay. For more information visit elkaflooring.co.uk. Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

solid wood flooring



18MM RUSTIC BRUSHED & OILED OAK



laminated flooring

8MM COUNTRY OAK

LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish, the v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of real wood flooring. The 12mm v-groove range is ideal for high traffic areas.

AQUA PROTECT: For enhanced water resistance, we offer the revolutionary **Aqua Protect** technology across the entire 12mm v-groove range and as an option on 8mm v-groove floors.

Most of the range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With a lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.

LUXURY RIGID VINYL 100% WATERPROOF FLOORING

Capturing the stunning detail of natural wood planks, herringbone and ceramic tiles, Elka luxury rigid vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With twelve gorgeous authentic-looking wood and ceramic designs, from timeless browns to on-trend greys available in our brand-new collection, we're confident you'll find a floor that's perfect for your lifestyle.

Manufactured in multiple layers for fantastic durability, Elka luxury rigid vinyl comes with a wealth of practical advantages, including underlay attached. Not only is the surface 100% waterproof – making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms – it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot. Built to withstand the rigours of family life, it's a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury rigid vinyl floor looking its best. The Uniclic® and Unizip® systems ensure fast installation, with no adhesive required. All you have to do is click the boards down into place, making Elka luxury rigid vinyl flooring a great choice for homeowners, renovators and property professionals.

luxury rigid vinyl flooring



6MM TUCKER OAK BEIGE



THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR




BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our luxury rigid vinyl and laminate ranges reflect the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.



SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage

rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.


These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For PEFC™ (Programme for the Endorsement of Forest Certification) certified products, look for the following logo.



THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.



ROOM FOR IMPROVEMENT

With Elka, it's now easier than ever to capture the luxury interior trends you desire. We offer a wide choice of finishes that look natural yet are extremely practical. Advancements in technology have further improved our range to ensure complete peace of mind, as our floors can cope with the extra demands on your home environment. Choose from 100% waterproof luxury rigid vinyl, water resistant laminate flooring, scratch resistant surfaces and ranges suitable for underfloor heating - now is the perfect time to create that chill-out space, home office or gym that you've always longed for.



WITH OUR NEW ELKA FLOORS, NOW YOUR HOME CAN BE A PLACE TO WORK, PLAY AND RELAX.

14MM HERRINGBONE HONEY SMOKED OAK



8MM WALNUT OAK




12MM UMBER OAK



5MM EDEN





luxury rigid vinyl


flooring



5MM AURORA

Elka luxury rigid vinyl is a hardwearing floor that is warm and quiet underfoot. 100% waterproof surface, it's ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish wood or tiled floor with the added advantages of the scratch resistant, durable surface with underlay attached.

features & advantages	structural composition of luxury vinyl flooring
Fully integrated Uniclic® and Unizip® installation systems	Top performance coating
100% waterproof surface	Clear vinyl wear layer
Underlay attached	Fine printed vinyl décor layer
Easy to install and maintain	Acoustic layer
Warm & quiet underfoot	Compact layers
Suitable for underfloor heating	Lightweight body layers
	Glass fibre layers
	Underlay attached



PLANK

5mm luxury rigid vinyl

flooring

UNDERLAY ATTACHED



Choose from six authentic wood designs in our new luxury rigid vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms*, it has the added advantage of attached underlay which help reduce noise and feels warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.

5MM LUXURY RIGID VINYL	KEY FEATURES
2.128m ² per pack 5 x 189 x 1251mm 9 planks / 4 sided bevel 5mm with underlay attached	Uniclic [®] locking system - suitable for DIY installation 100% waterproof surface Suitable for underfloor heating
R=0.02m ² K/W	



5MM CASA



Palm

NEW



Luna

NEW



Aurora

NEW



Nature

NEW



Eden

NEW



Casa

NEW



*commercial warranty on application

5mm luxury rigid vinyl

flooring

UNDERLAY ATTACHED



In addition to the wood designs, we have introduced two new tile décors into our luxury rigid vinyl range. As robust and as easy to maintain as a real tiled floor, it has the added advantage of attached underlay which help reduce noise and feels warm and silent underfoot. Suitable for underfloor heating, it is ideal for use in entrance halls, conservatories and for moisture-prone areas such as bathrooms, kitchens and utility rooms*.

5MM LUXURY RIGID VINYL	KEY FEATURES
1.848m ² per pack 5 x 303 x 610mm 10 tiles / 4 sided bevel 5mm with underlay attached	Uniclic® locking system - suitable for DIY installation 100% waterproof surface Suitable for underfloor heating

NA
HCHO

B_{fl}-s1

DS

DL
PCP

EN16511:2014/AC:2006
CE

Suitable for underfloor heating
R=0.02m² K/W



5MM INSIGNIA



5MM SIGNET



Signet

NEW



Insignia

NEW



*commercial warranty on application

6mm luxury rigid vinyl flooring

flooring

UNDERLAY ATTACHED



Herringbone flooring provides a luxurious feel for both contemporary and classic, timeless interiors. Durable enough to be used in any room in your home, the waterproof surface makes it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms*. Faster and easier to install with the Unizip® locking system, with no left and right planks you will have less wastage and a new herringbone floor in no time. The added benefit of underlay attached reduces noise and feels warm underfoot. A real winner!

6MM LUXURY RIGID VINYL	KEY FEATURES
0.794m ² per pack 6 x 126 x 630mm 10 planks / 4 sided bevel 6mm with underlay attached	Unizip® locking system - for fast and easy installation. 100% waterproof surface Suitable for underfloor heating
	<p>Suitable for underfloor heating R=0.02m² K/W</p>




6MM TEXAS OAK DARK BROWN



Kentucky Oak Beige

NEW



Kentucky Oak Honey Brown

NEW



Tucker Oak Beige

NEW



Texas Oak Dark Brown

NEW




*commercial warranty on application



laminate flooring

8MM HONEY OAK

Elka laminate flooring is a hardwearing floor that can be used either with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. With the advantages of the NEW revolutionary Aqua Protect Technology on 8mm and 12mm décors, it will remain as pristine as the day it was installed.

features & advantages of laminate flooring	structural composition
<ul style="list-style-type: none"> Fully integrated Uniclic® installation system for ease of fitting High definition surface structures that enhance the authentic appearance of the floor Choice of modern finishes and individualistic designs Flexible fitting options - you can start anywhere within the room Hygienic allergy reducing floor Can be used in conjunction with noise reducing underlay Suitable for use with embedded underfloor heating systems 	<ul style="list-style-type: none"> Transparent overlay prevents against wear and tear Design layer HDF board Moisture resistant High Density Fibre board Barrier layer Balancing board 

V-GROOVE

laminated flooring

UNICLIC®

elka

We have increased our range of laminate flooring which features the revolutionary **Aqua Protect** technology. Available across the entire 12mm range and as an option on the 8mm v-groove range, you can have the luxury interior you desire, but with all the practicalities for everyday living.

8MM V-GROOVE

12MM V-GROOVE



8MM FROSTED OAK



8MM SIENNA OAK



8MM PEBBLE OAK



12MM TOASTED OAK



12MM STONEY OAK



V-GROOVE

8mm laminate flooring



Choose your décor with or without Aqua Protect technology.

Select from eight timber effect designs in our 8mm range, designed to look great and last many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.

WATER RESISTANT

This range offers you the option to have the revolutionary Aqua Protect technology for enhanced water resistance.

8MM LAMINATE 2.179m ² per pack 8 x 192 x 1261mm 9 planks	KEY FEATURES Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment
 Suitable for underfloor heating R=0.057m ² K/W	



V-GROOVE

12mm laminate

flooring



ELKA

AC5

MORE SCRATCH RESISTANT

Choose from six timber effect designs in our 12mm range with its fully integrated Uniclic® installation system and the revolutionary Aqua Protect technology. The 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.

WATER RESISTANT



The entire 12mm range features the revolutionary Aqua Protect technology for enhanced water resistance.




12MM LAMINATE
1.453m² per pack
12 x 192 x 1261mm
6 planks

KEY FEATURES
Uniclic® locking system - suitable for DIY installation
Hygienic allergy reducing floor
PEFC™ - Caring for the environment

E1 HCHO	Cfl-s1	DS	EN13 13329 32	PEFC PEFC/07-32-37
Suitable for underfloor heating R=0.094m ² K/W			CE	



MISTY OAK



Toasted Oak



Barn Oak



Sunrise Oak



Stoney Oak



Umber Oak



Misty Oak



5
year domestic warranty

25
year domestic warranty

*on application




real wood engineered

flooring

14MM HERRINGBONE
DARK SMOKED OAK

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

features & advantages	structural composition of engineered flooring
<ul style="list-style-type: none"> Can be laid over embedded underfloor heating Can be sanded and refinished Made from 100% natural wood Dimensional stability Can be laid in all residential areas (except those of high humidity) 	<ul style="list-style-type: none"> Carefully selected real wood wear layer Latest technology machining for ultimate stability Engineered ply construction for a stable inner core Superior glue throughout ensures a long carefree life Selected veneer backing for added stability 

real wood engineered
flooring



TONGUE & GROOVE

With all the aesthetics of a real wood floor, our real wood engineered flooring is a practical design choice for any home. Elka offers the most extensive choice of thickness, with options available using our patented Uniclic® Multifit system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



A glue-free process, the Uniclic® Multifit installation system is fast and easy to lay. Working both vertically and horizontally, the drop-down technology (slide and click) allows for an even simpler installation. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on this system, you can enjoy a quality finish for years to come.



- 12.5MM
- 13.5MM
- 14MM

TONGUE & GROOVE

Each plank features a tongue and groove format. Depending on the format of the board, each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.



- 14MM
- 18MM
- 20MM

NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



12.5MM HARBOUR OAK UNICLIC MULTIFIT



13.5MM SUMMER OAK UNICLIC MULTIFIT



14MM RURAL OAK TONGUE & GROOVE



13.5MM CARAMEL OAK UNICLIC MULTIFIT



18MM WASHED & SMOKED OAK TONGUE & GROOVE



20MM RUSTIC UV BRUSHED & OILED OAK TONGUE & GROOVE

12.5mm real wood engineered flooring



Choose any floor from our 12.5mm range with its 2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.

12.5MM REAL WOOD ENGINEERED 12.5 x 190 x 1820mm 2.075m ² per pack 2-sided bevel (long side)
KEY FEATURES Solid Oak - 2mm wear layer HDF moisture resistant core Uniclic® Multifit locking system - suitable for DIY installation PEFC™ - Caring for the environment



WOODLAND OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



13.5mm real wood engineered flooring



Our 13.5mm range provides both modern and traditional options with a 2.5mm real wood wear layer and the revolutionary Uniclic® Multifit locking system, renowned for strength and ease of installation. All floors are compatible for underfloor heating and are PEFC™ certified.

13.5MM REAL WOOD ENGINEERED
13.5 x 190 x 1820mm 2.075m ² per pack 4-sided bevel

KEY FEATURES
Solid Oak - 2.5mm wear layer Real wood spruce core Uniclic® Multifit locking system - suitable for DIY installation PEFC™ - Caring for the environment



SUMMER OAK



Rustic UV Brushed & Oiled Oak



Spring Oak

Brushed matt lacquered finish



Summer Oak

Brushed & oiled finish



Caramel Oak

UV brushed & oiled, smoked finish



Rustic UV Lacquered Oak



Winter Oak

Brushed matt lacquered finish



Spiced Oak

Brushed matt lacquered finish



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



14mm real wood engineered flooring

TONGUE & GROOVE

Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. The traditional tongue and groove fixing mechanism and the Herringbone design means that you achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.

14MM REAL WOOD ENGINEERED
RURAL OAK 14 x 189 x 1860mm 2.812m ² per pack
Up to 30% starter boards

OPTIONS FOR INSTALLATION OF A HERRINGBONE FLOOR

All planks come with grooves on three sides which allow you to achieve multiple design patterns






HERRINGBONE DOUBLE HERRINGBONE DIAGONAL HERRINGBONE

14MM REAL WOOD ENGINEERED
HERRINGBONE 14 x 120 x 600mm 0.864m ² per pack
KEY FEATURES
Tongue & Groove UV Oiled & Smoked finish Solid oak - 3mm wear layer Real wood core / 4-sided bevel

Suitable for underfloor heating

CE

Fully adhere Herringbone using Elka Trowel Flex or Elka Rigid



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




18mm real wood engineered flooring


TONGUE & GROOVE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.

18MM REAL WOOD ENGINEERED 18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m ² per pack
KEY FEATURES Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties







Suitable for underfloor heating




WALNUT

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



20mm real wood engineered flooring

TONGUE & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.


20MM REAL WOOD ENGINEERED 20 x 189 x 1860mm 2.11m ² per pack 4-sided bevel	 Suitable for underfloor heating 
---	---

KEY FEATURES Solid 4mm wear layer Structural & load bearing, suitable to fix straight to joists Ensures excellent thermal and acoustic properties Up to 30% of starter boards included




AUTUMN OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE



Rustic UV Brushed & Oiled Oak


TONGUE & GROOVE



Autumn Oak

UV brushed & oiled rustic+ finish

TONGUE & GROOVE




Copper Oak

UV brushed & oiled rustic+ finish

TONGUE & GROOVE






solid wood
flooring

RUSTIC UV LACQUERED OAK

Made from high quality premium, solid timber, the natural colours of Elka solid wood flooring will add natural character and warmth, making it a solid investment for any home. Our strict production process means that every board is checked by hand at least three times guaranteeing a high level of quality in every detail of your new floor.

features & advantages of solid flooring	structural composition
<p>Traditional 18mm solid floors Only selected and graded timbers used Contemporary and stylish finishes to suit every home Random length boards 20 year structural warranty To fit, adhere it direct to a sub floor, nail or screw it to timber, or float it using Elka 3in1 underlay PEFC™ certified</p>	<p>Carefully selected timber, sourced from responsibly managed forests Tongue and groove construction allowing multiple fixing options Top surface is finished with lacquer or oil to enhance hardness and durability</p> 

solid wood

flooring


TONGUE & GROOVE

Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.

SOLID WOOD
18 x 130mm x random lengths 2.184m ² per pack
KEY FEATURES
Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used Random length boards 20 year structural warranty




RUSTIC UV BRUSHED & OILED OAK




Rustic UV Lacquered Oak

TONGUE & GROOVE



Rustic UV Brushed & Oiled Oak

TONGUE & GROOVE



Golden Oak
UV lacquered,
aged and hand finished

TONGUE & GROOVE



GOLDEN OAK





EVERYTHING YOU NEED TO PREPARE, FIX, FINISH & MAINTAIN YOUR ELKA FLOOR

Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. All our underlays are suitable for use with laminate and real wood engineered flooring.

ELKA LAY



3MM UNDERLAY

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring

L: 15m W: 1m Thick: 3mm

ELKA DUOLAY



3MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm

ELKA COMFORT



5MM UNDERLAY WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring
20db sound reduction
Low thermal resistance
Cushioned support increases underfoot comfort
Shock absorbent / vapour barrier
Exceptional acoustic insulation performance
Suitable for embedded underfloor heating
Integrated VPB system

L: 15m W: 1m Thick: 5mm

ELKA HUSH



5MM UNDERLAY WITH VPB / SOUND PROOFING

Handy lightweight boards - 19 no. size 600 x 856mm / total coverage 9.76m²/pk
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring
Floor levelling characteristics
Exceptional acoustic insulation performance
23db sound reduction
Smooths & levels minor imperfections and braces board joints for better support
High thermal resistance: 2 tog
Durable: withstands high loads of 10T/m²
Non-absorbing, mould resistant boards

L: 856mm W: 600mm (x19 boards) Thick: 5mm

PREPARE PAGE 45

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

FIX / FINISH PAGES 46-49

The Elka range of high performance fixing products provide the right solution for every type of flooring.

MAINTAIN PAGE 50-51

Keep your floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.

EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing Elka flooring.

ELKA GRIP

QUALITY ADHESIVE FOR USE WITH ELKA TONGUE & GROOVE REAL WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & groove system.

Features and Advantages

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

ELKA TONGUE TITE

SUPERB PRODUCT FOR SCREW FIXING SOLID OR REAL WOOD ENGINEERED (18MM+) FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

- No need for glue or to hire a nail gun, drill bit is included in every pack.
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m²)



Suitable for use with **solid** and **real wood engineered** flooring.

ELKA FITTING KIT

FOR FITTING LAMINATE AND MOST UNICLIC® FLOORING QUICKLY AND EASILY



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminate** and **real wood engineered** flooring.

ELKA BOND RIGID

HEAVY DUTY SYNTHETIC POLYMER FOR A RIGID BOND.

Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

Coverage: 16m² when used as directed, instructions on packaging

Suitable for use with **solid** and **real wood engineered** flooring.



ELKA BOND FLEX

ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

Features and Advantages

- 100% active, solvent and water-free
- Permanently flexible - compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

ELKA BOND DIY FLEX

Coverage: 1m² when used as directed, instructions on packaging



ELKA BOND TRADE FLEX

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m² when used as directed, instructions on packaging



ELKA BOND TROWEL FLEX

2 x 7kg foil packs Pack includes trowel and wipes

Coverage: 14m² when used as directed, instructions on packaging




EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR


LAMINATE

LAMINATE PROFILES AND ADAPTORS SUITABLE FOR LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new Elka 4in1 Profile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile, transition profile and edge profile, all in a single profile.




Expansion Profile 2150 x 40 x 13mm
Adaptor Profile 2150 x 48 x 13mm
Transition Profile 2150 x 40 x 13mm
Edge Profile 2150 x 40 x 13mm



Delivered with cutter to adapt to the profile you need.

Can provide flexibility for elka laminate flooring with depths between 8mm - 12mm



Dimensions:
2150 x 48 x 13mm


FEATURES AND ADVANTAGES OF THE 4IN1 LAMINATE PROFILE

- Laminate wood finish
- Simply trim to the required profile type using the trimmer included in each pack
- Flexible - 4 profiles in 1
- Extra height adjustment can be gained when applied using Elka bond

Length: 2150mm, ideal for two door widths
 Suitable for use on floors between 8-12mm with the supporting adjustable track provided

ELKA SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your Elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED / SOLID

REAL WOOD PROFILES AND ADAPTORS SUITABLE FOR SOLID AND REAL WOOD ENGINEERED FLOORING.

Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.




Expansion Profile to cover expansion gaps between two adjacent flooring products of the same height.
Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.
Edge Profile to finish the flooring where a dressed edge is required eg. against a wall or window.



Trim off the area of the product not required using the supplied trimmer.

Can provide flexibility for Elka real wood flooring with depths between 14mm - 20mm



FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

- Real wood veneer finish
- Simply trim to the required profile type using the trimmer included in each pack
- Flexible - 3 profiles in 1
- Extra height adjustment can be gained when applied using elka bond

Available in two lengths:
 930mm in lacquered white oak and unfinished* white oak
 2150mm in lacquered white oak or unfinished* white oak.
 Suitable for use on floors between 14-20mm with the supporting adjustable track provided

*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

ELKA OAK SCOTIA PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring
This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring
This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



0.5 Litre

ALL PURPOSE CLEANER **ALL Concentrate PURPOSE CLEANER**

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **luxury vinyl, laminate, lacquered & oiled** finished floors.



0.5 Litre

OILED FINISH PROTECTOR **LACQUERED FINISH PROTECTOR** **SCUFF MARK REMOVER**

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop on your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

5mm luxury rigid vinyl flooring

PALM NEW	AURORA NEW	NATURE NEW	EDEN NEW
PRODUCT: ERPU40365 SAP: 400096627 PACK SIZE: 2.128m ² PACKS/PALLET: 44	PRODUCT: ERPU40366 SAP: 400096628 PACK SIZE: 2.128m ² PACKS/PALLET: 44	PRODUCT: ERPU40369 SAP: 400096631 PACK SIZE: 2.128m ² PACKS/PALLET: 44	PRODUCT: ERPU40368 SAP: 400096630 PACK SIZE: 2.128m ² PACKS/PALLET: 44

LUNA NEW	CASA NEW	SIGNET TILE NEW	INSIGNIA TILE NEW
PRODUCT: ERPU40367 SAP: 400096629 PACK SIZE: 2.128m ² PACKS/PALLET: 44	PRODUCT: ERPU40370 SAP: 400096632 PACK SIZE: 2.128m ² PACKS/PALLET: 44	PRODUCT: ERTU40371 SAP: 400096633 PACK SIZE: 1.848m ² PACKS/PALLET: 48	PRODUCT: ERTU40372 SAP: 400096634 PACK SIZE: 1.848m ² PACKS/PALLET: 48

6mm luxury rigid vinyl flooring

KENTUCKY OAK BEIGE NEW	TUCKER OAK BEIGE NEW	KENTUCKY OAK HONEY BROWN NEW	TEXAS OAK DARK BROWN NEW
PRODUCT: VFHBU40380 SAP: 400096642 PACK SIZE: 0.794m ² PACKS/PALLET: 108	PRODUCT: VFHBU40377 SAP: 400096639 PACK SIZE: 0.794m ² PACKS/PALLET: 108	PRODUCT: VFHBU40378 SAP: 400096640 PACK SIZE: 0.794m ² PACKS/PALLET: 108	PRODUCT: VFHBU40374 SAP: 400096636 PACK SIZE: 0.794m ² PACKS/PALLET: 108

8mm laminate flooring / 8mm laminate flooring with Aqua Protect

FROSTED OAK	DRIFTWOOD OAK	PEBBLE OAK	SIENNA OAK
PRODUCT: ELV207 SAP: 400054663 PRODUCT: ELV207AP SAP: 400065461 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV182 SAP: 400054660 PRODUCT: ELV182AP SAP: 400065458 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV183 SAP: 400054661 PRODUCT: ELV183AP SAP: 400065459 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV203 SAP: 400054659 PRODUCT: ELV203AP SAP: 400065457 PACK SIZE: 2.179m ² PACKS/PALLET: 52
RUSTIC OAK	HONEY OAK	COUNTRY OAK	WALNUT
PRODUCT: ELV281 SAP: 400054662 PRODUCT: ELV281AP SAP: 400065460 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV223 SAP: 400054664 PRODUCT: ELV223AP SAP: 400065462 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV224 SAP: 400054665 PRODUCT: ELV224AP SAP: 400065463 PACK SIZE: 2.179m ² PACKS/PALLET: 52	PRODUCT: ELV358 SAP: 400080697 PRODUCT: ELV358AP SAP: 400080698 PACK SIZE: 2.179m ² PACKS/PALLET: 52

12mm laminate flooring AC5

TOASTED OAK	BARN OAK	SUNRISE OAK	UMBER OAK
PRODUCT: ELT226AP SAP: 400080634 PACK SIZE: 1.453m ² PACKS/PALLET: 52	PRODUCT: ELT216AP SAP: 400080633 PACK SIZE: 1.453m ² PACKS/PALLET: 52	PRODUCT: ELT174AP SAP: 400080707 PACK SIZE: 1.453m ² PACKS/PALLET: 52	PRODUCT: ELT137AP SAP: 400080708 PACK SIZE: 1.453m ² PACKS/PALLET: 52
STONEY OAK	MISTY OAK	<p>ALL OF OUR 12MM LAMINATE FLOORING RANGE HAS THE ADDED ADVANTAGE OF THE AQUA PROTECT TECHNOLOGY</p> <p>FOR 8MM LAMINATE WITH THE OPTION TO SELECT THE AQUA PROTECT FLOORING, USE THE PRODUCT CODE HIGHLIGHTED (ENDING AP)</p>	
PRODUCT: ELT187AP SAP: 400080635 PACK SIZE: 1.453m ² PACKS/PALLET: 52	PRODUCT: ELT258AP SAP: 400080636 PACK SIZE: 1.453m ² PACKS/PALLET: 52		

12.5mm real wood engineered flooring

HARBOUR OAK	NIGHTINGALE OAK	FAWN OAK	WOODLAND OAK
PRODUCT: ELKA12HARBOUR SAP: 400081962 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA12NIGHTINGALE SAP: 400087209 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA12FAWN SAP: 400081961 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA12WOODLAND SAP: 400081964 PK: 2.075m ² PKS/PLT: 55

13.5mm real wood engineered flooring

SPRING OAK	SUMMER OAK	WINTER OAK	SPICED OAK
PRODUCT: ELKA13SPRING SAP: 400082114 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA13SUMMER SAP: 400082116 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA13WINTER SAP: 400082115 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA13SPICED SAP: 400082117 PK: 2.075m ² PKS/PLT: 55
RUSTIC UV B&O OAK	RUSTIC UV LACQUERED OAK	CARAMEL OAK	
PRODUCT: ELKA13BOROAK SAP: 400091118 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA13LROAK SAP: 400091117 PK: 2.075m ² PKS/PLT: 55	PRODUCT: ELKA13CARAMEL SAP: 400091119 PK: 2.075m ² PKS/PLT: 55	

14mm real wood engineered flooring

RURAL OAK	real wood engineered fitting systems
PRODUCT: ELKA14RURAL SAP: 432127 PK: 2.812m ² PKS/PLT: 40	

HERRINGBONE WHITWASHED OAK	HERRINGBONE LIGHT SMOKED OAK	HERRINGBONE HONEY SMOKED OAK	HERRINGBONE DARK SMOKED OAK
PRODUCT: ELKA14HBWWOAK SAP: 400082104 PK: 0.864m ² PKS/PLT: 80	PRODUCT: ELKA14HBLSOAK SAP: 400036671 PK: 0.864m ² PKS/PLT: 80	PRODUCT: ELKA14HBHISOAK SAP: 400082105 PK: 0.864m ² PKS/PLT: 80	PRODUCT: ELKA14HBDISOAK SAP: 400036670 PK: 0.864m ² PKS/PLT: 80

18mm real wood engineered flooring

WASHED & SMOKED OAK	ENHANCED OAK	NATIVE OAK	WALNUT
PRODUCT: ELKA18W&SOAK SAP: 400009827 PK: 1.98m ² PKS/PLT: 56	PRODUCT: ELKA18ENHANCEDOAK SAP: 400009828 PK: 1.98m ² PKS/PLT: 56	PRODUCT: ELKA18NATIVEOAK SAP: 400016941 PK: 1.98m ² PKS/PLT: 56	PRODUCT: ELKA18LBWALNUT SAP: 431483 PK: 1.98m ² PKS/PLT: 56

20mm real wood engineered flooring

RUSTIC UV LACQUERED OAK	RUSTIC UV B&O OAK	AUTUMN OAK	COPPER OAK
PRODUCT: ELKA20RUVLOAK SAP: 400037761 PK: 2.11m ² PKS/PLT: 35	PRODUCT: ELKA20RBOOAK SAP: 400037729 PK: 2.11m ² PKS/PLT: 35	PRODUCT: ELKA20AUTUMNOAK SAP: 400037763 PK: 2.11m ² PKS/PLT: 35	PRODUCT: ELKA20COPPEROAK SAP: 400037762 PK: 2.11m ² PKS/PLT: 35

18mm solid wood flooring

RUSTIC UV LACQUERED OAK	RUSTIC UV B&O OAK	GOLDEN OAK
PRODUCT: ELKA1300AKRUS SAP: 400018792 PK: 2.184m ² PKS/PLT: 48	PRODUCT: ELKA1300BOOAK SAP: 400018791 PK: 2.184m ² PKS/PLT: 48	PRODUCT: ELKA1306OLOAK SAP: 400018794 PK: 2.184m ² PKS/PLT: 48

PREPARE



ELKA LAY
609920



ELKA DUO LAY
609919



ELKA COMFORT LAY
613127



ELKA HUSH
627370

FIX



ELKA GRIP
609957



ELKA TONGUE TITE
609969



ELKA FITTING KIT
610436



ELKA BOND RIGID
609965



ELKA BOND DIY FLEX
609956



ELKA BOND TRADE FLEX
609970

ELKA BOND TRADE FLEX REFILL
609971



ELKA BOND TROWEL FLEX
609972

FINISH



ELKA 4in1 PROFILE

ELV203/AP	SFINCP05207
ELV207/AP	SFINCP05230
ELV223/AP	SFINCP05214
ELV358/AP	SFINCP05195
ELV183/AP	SFINCPT05126
ELV182/AP	SFINCPT05135
ELV224/AP	SFINCP05228
ELV281/AP	SFINCPT05134
ELT258AP	SFINCP05226
ELT174AP	SFINCP05223
ELT137AP	SFINCP05199
ELT216AP	SFINCPT05134
ELT226AP	SFINCP05214
ELT187AP	SFINCP05235
ELW121	SFINCP05235
ELW122	SFINCP05232
ELW124	SFINCPT05137
ELW120	SFINCP05205



ELKA LAMINATE SCOTIA

ELV203/AP	SFSCOT05207
ELV207/AP	SFSCOT05230
ELV223/AP	SFSCOT05214
ELV358/AP	SFSCOT05195
ELV183/AP	SFSCOT05126
ELV182/AP	SFSCOT05135
ELV224/AP	SFSCOT05228
ELV281/AP	SFSCOT05134
ELT258AP	SFSCOT05226
ELT174AP	SFSCOT05223
ELT137AP	SFSCOT05199
ELT216AP	SFSCOT05134
ELT226AP	SFSCOT05214
ELT187AP	SFSCOT05235
ELW121	SFSCOT05235
ELW122	SFSCOT05232
ELW124	SFSCOT05137
ELW120	SFSCOT05205



ELKA 3in1 REAL WOOD PROFILE

2.15 WHITE OAK	609954
2.15 UNFINISHED OAK	609951
0.93 WHITE OAK	609955
0.93 UNFINISHED OAK	609952
0.93 WALNUT	609953



ELKA OAK SCOTIA PROFILE
609966

MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING
613360



ALL PURPOSE CLEANER FOR WOOD FLOORING
611387



ALL PURPOSE CLEANER CONCENTRATE
611386



OILED FINISH PROTECTOR
613217



LACQUERED FINISH PROTECTOR
613218



SCUFF MARK REMOVER
613216

elka®

www.elkaflooring.co.uk

HEAD OFFICE

Unilin Flooring
Unit 6, Ballinacraig Business Park
Greenbank Industrial Estate
Newry, County Down
BT34 2QX

T: 0330 1222 133
From ROI: +44 330 1222 133

DISTRIBUTION CENTRE

Unilin Flooring
Unit 3, Academy One
Lees Road
Knowsley Industrial Estate
Knowsley, Liverpool
L33 7AG

T: 0330 1222 133

